



SAFETY DATA SHEET

1. Identification of Substance and Manufacturer:

L&R SF-50 Solvent Free Degreaser Concentrate PCN: 071, 086

Use Ultrasonic Cleaner. Dilute as per instructions. Dilute 1 part of solution with up to 20 parts water.

Manufacturer: L&R Manufacturing company, 577 Elm Street, P.O. Box 607, Kearny NJ 07032-0607 USA

Publication Date 07/23/2021 Rev. P

Product information call 201-991-5330 www.lrultrasonics.com

For emergencies involving a spill, leak fire or accident contact CHEMTEL 800-255-3924/ within the United States. Or 1-813-248-0585 for International calls.

2. HAZARD IDENTIFICATION



WARNING! IRRITANT! MAY BE HARMFUL IF SWALLOWED.

Good industrial hygiene practices should be used when handling this material.

Acute Eyes: Direct contact causes irritation, redness and possible tearing. Use good ventilation to minimize exposure.

Acute Skin: Prolonged or repeated contact causes redness, and drying of the skin.

Acute Inhalation: Breathing high concentrations of vapors or mists will cause irritation to the respiratory tract.

Acute Ingestion: Acute Ingestion: Will cause irritation to the digestive tract and signs of nervous system depression.

B: POTENTIAL HEALTH EFFECTS:

Chronic Effects: This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probable or suspected human carcinogen.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	Percentage	Component	CAS Number	Percentage
Water	7732-18-5	60 – 70	Quaternary Ammonium Compound	68610-19-5	1 - 5
Sodium Metasilicate	6834-92-0	1 – 5	Ethoxylated Propoxylated Alcohols	68603-25- 8	1 – 5
Nonionic Alkyl Polyglycoside	68515-73-1	5 – 10	Sodium Citrate	68 -04 - 2	1 – 5
Sodium Xylene sulfonate	1300 -72 -7	2 – 6	Sodium Tetraborate	1303-96 - 4	1 – 5
Dodecylthioethoxylate	9004 -83 - 5	5 – 10			

The exact concentration of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye Exposure: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.

Skin Exposure: Wash thoroughly with water. If irritation or redness develops, seek medical attention.

Inhalation: If respiratory irritation or distress occurs, move victim to fresh air. Seek medical attention if respiratory irritation or distress continues.

Ingestion: Seek immediate medical attention. DO NOT INDUCE VOMITING.

MEDICAL CONDITIONS POSSIBLY AGGRAVATED BY EXPOSURE: Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

FIRE HAZARD DATA:

FLASH POINT: None to boiling **METHOD USED:** Tag Closed Cup

Flammability limits (vol/vol %): Lower: No Data Upper: No Data

Suitable Extinguishing Media: Extinguish with dry chemical, CO₂ or a BC/ABC extinguisher.

Special Fire Fighting Procedures: None known

Unusual Fire and Explosion Hazards: Product will burn under fire conditions. Closed containers may explode due to build up of pressure when exposed to extreme heat.

Hazardous Decomposition Materials: (under fire conditions) Oxides of nitrogen and carbon. .

6. ACCIDENTAL RELEASE MEASURES

Cleanup and Disposal of Spill: Ventilate area of spill. Use non-reactive material to pick up spill. Dispose of in accordance with local, state and federal regulations. **Environmental and Regulatory Reporting:** Not required

7. HANDLING AND STORAGE

Minimum/Maximum Storage Temperatures: 39 to 100 °F.

HANDLING: AVOID CONTACT WITH SKIN, EYES OR CLOTHING

8. EXPOSURE CONTROL/PERSONAL PROTECTION

General: These recommendations provide general guidance for handling of this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. When developing safe handling procedures, do not overlook the need to clean and dispose of the material. Waste resulting from the use of this product should be handled in accordance with Section 13: Disposal Considerations.

Exposure Guidelines: Exposure limits are recommended worker breathing limits. The following limits apply to this material:

INGREDIENTS

Water
 Nonionic Alkyl Polyglycoside
 Quaternary Ammonium Compound
 Dodecylthioethoxylate
 Sodium Citrate (dehydrate)

LIMITS

None established
 None established
 400 ppm OSHA/TWA
 None established S
 15 mg/m3 OSHA/PEL TWA

INGREDIENTS

Sodium Tetraborate
 Sodium Metasilicate
 Ethoxylated Propoxylated Alcohol
 Sodium Xylene Sulfonate, solution

LIMITS

10 kg. / m3 PEL (powder)
 OSHA 15 mg/m3 TWA
 None established
 None established

Engineering Controls: Normal room ventilation.

Respiratory Controls: For reasonable uses of this material, respiratory protection should not be necessary.

Eye/Face Protection: Safety glasses to protect from splashing.

Skin Protection: Rubber or plastic gloves to avoid drying and irritation to the skin.

Work Practice Control: Normal hygiene in the work area should be taken when working with or handling this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Clear liquid. **Color:** Brown **Odor:** Mild odor.

pH: 12.7 as concentrate **Specific Gravity:** 1.08 **Odor Threshold:** Not available

Water Solubility: Soluble, may haze slightly **Melting Point Range:** Not available **Evaporation Rate:** Similar to water

Viscosity: Similar to water

Freezing Point Range: Approx. 30 °F **Boiling Point:** approx. 189 °F **Partition Coefficient; n-octanol / water:** Not available

Vapor Pressure: Not established **Vapor Density:** Not established **Decomposition Temperature:** Not available

Flash Point: None to boiling **Method:** Tag Closed Cup **Auto Ignition Temperature:** Not available

Flammability limits (vol/vol %): Lower: No Data **Upper:** No Data **Percent volatile by volume:** Approx. 65 % by volume **V.O.C. (calculated):** For Concentrate: 0.13 lb./ gal or 16.0 g / l., for dilution of 1 part with 20 parts water: 0.065 lb / gal. or 0.76 g/l.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to be avoided: Heat, open flame.

Materials/Chemicals to be avoided: Strong acids, strong oxidizing agents, aluminum magnesium, zinc

Decomposition Type: Thermal Oxides of carbon and ammonia vapor

Possibility of Hazardous Reactions: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

Acute Eye Irritation: Irritating to eyes.

Acute Skin Irritation: No test data found for product.

Acute Dermal Toxicity: No test data found for product.

Acute Respiratory Irritation: No test data found for product.

Acute Inhalation Toxicity: No test data found for product.

Acute Oral Toxicity:

LD50 (rat) = 800 mg/kg for Sodium Metasilicate LD50 (rat) = 1548 mg / kg for Sodium Citrate

LD50 (mouse) = 5969 mg/kg for Sodium Xylene Sulfonate LD 50 (rat) = 2660 mg / kg for Sodium Tetraborate

LD50 (rat) = 3.0 gm/kg for Dodecylthioethoxylate LD50 (rat) = 2400 mg / kg for Ethoxylated Propoxylated Alcohol

LD50 (rat) = 5000 mg / kg for Nonionic Alkyl Polyglycoside LD50 (rat) = 366 mg/ Kg for Quaternary Ammonium Compound

Chronic Toxicity: This product does not contain any substances that are considered by OSHA, NTP, IARC OR

ACGIH to be a probable or suspected human carcinogen. No additional test data was found for this product. .

12. ECOLOGICAL INFORMATION

Ecotoxicological Information: No data found.

13. DISPOSAL CONSIDERATIONS

This product can be disposed in sanitary sewer system, with dilution, where permitted by local, federal and state regulations.

14. TRANSPORTATION INFORMATION

This product is not regulated for D.O.T. shipping. Do not stack cartons more than five high.

15. REGULATORY INFORMATION

Inventory Issues: All components of this product are listed on the U.S. TSCA, Canadian DSL, European EINECS/ELINS chemical listings.

16. OTHER INFORMATION**National Fire Protection Association**

Hazard Rating, NFPA	Health	Flammability	Reactivity	Special
	2	0	0	--

SDS CHANGES

<u>REV</u>	<u>DATE</u>	<u>DESCRIPTION OF CHANGE</u>
O	06/01/2020	Update
P	07/23/2021	Update

Disclaimer: The information herein is given in good faith but no warranty expressed or implied is made. This SF 50 SDS has been prepared by L&R Manufacturing Company.